



4x2 129hp Garbage Compactor Truck Rubbish Dump Truck 7360kg

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: DONGFENG
- Certification: CCC
- Model Number: HLW5185ZYSD6
- Minimum Order Quantity: 1 units
- Price: USD15000~25000/unit
- Packaging Details: naked, with wax; shipped by container, ro-ro ship, train or long vehicle
- Delivery Time: depends on order quantity
- Payment Terms: T/T, L/C, Western Union, MoneyGram
- Supply Ability: 1000units/month



Product Specification

- Overall Size: 6970X2100X2600mm
- Driving Form: 4*2
- Total Weight: 7360kg
- Curb Weight: 5400kg
- Rated Loading: 1830kg
- Wheel Base: 4200mm
- F/R Tread: 1525/1498mm
- Maximum Speed: 110km/h
- Fuel Type: Diesel Engine
- Engine Type: CY4BK461
- Max. Power: 95kWkw/129hp
- Max Torque: 350N.m
- Displacement: 3707ml
- Emission Level: Eur.III
- Cab: One And Half Row, 2~3seats



for more products please visit us on battery-generator.com

Product Description

4X2 129hp Compacted Garbage Truck with Cloased Container Garbage cabin

Garbage Product Detailed Specification:

Vehicle parameters			
Vehicle Model	HLW5185ZYSD6	Vehicle Type	Compacted Gabage truck
Overall dimensions	8500X2500X3300mm	Curb weight	10400kg
Total Veight	18000kg	Rated Capacity	7470kg
F/R overhang	1400/2600mm	Gabage Volume	8-10CBM(As regeust)
Chassis parameters			
Chassis model	DFH1180EX8	Chassis brand	DONGFENG
Overall dimensions	7090X2370X2750mm	Wheel base	4200mm
Front/rear wheel track	1876/1820mm	Front/Rear Axle	6500/11500kg
Approach/departure angle	27/20°	Maximum speed	89km/h
Cab	Configuration	A row and a half cab,3 passengers allowed, air conditioner.	
	Color	White, or as request	
Engine	Model	DDi50E190-60	
	Emission	Euro V	
	Type	4 cylinders, in-line,EGR(cool)+DOC+DFP+SCR+ASC, diesel engine	
	Rated power	147kw/190hp, rated power speed 2300rpm	
	Displacement	5000ml	
	Max.torque	800N.m	
Tire	Size	10.00R20 18PR,275/80R22.5 18PR	
	Number	6+1 nos	

Garbage Truck HLW5185ZYSD6 Description:

The vehicle is used for garbage collection and transfer; Special devices: garbage cans and fillers; Side protection material: Q235, connection method: bolt connection, the rear protection is replaced by the special operation device of the vehicle, and the rear special device is 420mm above the ground; When assembling ca4db1-11e6, cy4bk161, cy4bk461, d20tcif1, ycy24140-60, zd30d16-6n, the corresponding fuel consumption is 16.3,16.2,16.2,16.3,16.3,16.3l/100km respectively;With the chassis, the cab, swing arm device, semi sealed bucket device, fully sealed bucket device, no feeding device, bucket turnover device (without sealing cover) and bucket turnover device are optional; Optional car body style; Optional tipping device; Optional full sealing cover.

Products HD pictures:





Packing and Shipping:

FQA:

Q:How about the delivery time?

A: Most of our trucks are made to new order, so the delivery time is usually 20~45days.

Q:How about shipping ?

A: Big size trucks always shipping by RORO or Bulk ship or flat bed container or open top container, small type can shipping by container ,

Pls contact us to get a shipping quotation .

Q: How many trucks does your factory produce per years?

A: Almost 3000 units one month.

Q: How about your product After-sales service system?

A: Our main export country have accepted after-sales service,some of country used the third department service.

Q: Do you accept Custom orders? What's is your MOQ order?

A: Yes, we do, our MOQ is depends on exact model, mostly is 1unit.

Q:Which country do you have exported to?

A: our special trucks can be found in many parts of the world, such as Russia, Ukraine,Uzbekistan,Jordan, Chile, Brazil, Thailand, Malaysia, Lebanon etc, and gain good reputation from local market.



HaiNan SynYune EV Technology Co.,Ltd



SYJackie@163.com



battery-generator.com

No. 4 Jipu Road, Xinyingwan District, Yangpu EDZ, Hainan Province